

Galvanized Edge

What is Galvanized L- Edge?



Flexible, strong, elegant and versatile Galvanized Steel edging system is available in a flexible design L-shape for walkways, lawns, flowerbeds, hard landscaping, parking lots...

The triangle cut-outs are made to create a fully flexible edge for curves and bends by cutting the strip or by leaving them uncut to have a straight and solid edge.

This Edging solution is more suitable for neat and elegant edging of flower-beds, lawns and hard landscaping. Fixation of Galvanized Edge is possible by using Galvanized Steel Anchors. Interlocking Snap-On connectors made of Polyamide are available to extend individual sections.

Technical Specifications

Properties	
Material	Galvanized Steel
Dim. per profile (L x W x H)	200 cm x 5 cm x 5 cm 200 cm x 5 cm x 10 cm 200 cm x 8 cm x 10 cm
Thickness	1.5 mm
Dimension tolerance	+/- 3%
Quantity per pack	15 Rod
Gross Meters per pack	37.5 Lm
Color	Silver (More colors available upon request)
Guarantee	3 Years

*All data is subject to change without prior notice by the manufacturer.


- ✔ Galvanized steel treated against rust with our design mold 2126R.
- ✔ An additional electrostatic coat can be applied for extra protection.
- ✔ Dimensions and thickness can be made in different specification than above standards according to customer requirements.
- ✔ Max. Rod length is 300 cm.
- ✔ Variable sizes and flexible for hard curves.



Accessories

- ✔ Anchors: Used for fixation - Made of Galvanized steel with 6mm thickness (recommended to install 1 anchor every 100 cm)
- ✔ Connectors: Used for fixing Galvanized rods together - Made of pure Polyamide with UV treatment (recyclable, eco-friendly). Each connector weighs around 2 grams.
- ✔ All Galvanized Edges supplied with Rubber Cap for safety protection.

Note: In favor of product improvements, producer may change specifications without prior notice



Installation



Applications



Projects



New Opera House – New Administrative Capital